

The background of the central section is a soft-focus photograph of a rural landscape at sunset or sunrise. A large, multi-bladed windmill stands on the left side. In the distance, there is a small, rustic wooden house with a chimney, surrounded by a few trees. The sky is a mix of warm orange and pink hues.

FEEDERS FARM CATALOGUE





Contact Us

25 Moorundie Street,
TRURO. SA. 5353

- Phone: 08 8564 0214
- Fax: 08 8564 0018
- EMAIL: sales@truroagencies.com.au





Supplier Details

ADVANTAGE FEEDERS

33 Coronet Street,
WENDOUREE.

BALLARAT Vic 3355

Most Models In Stock
Assembled at Truro Agencies

Freight : Free In Store - Truro

www.advantagefeeders.com.au





Resources

Advantage Feeders was born out of a single brilliant idea: a feeder that consistently delivers stock the right level of feed. In 2006, when Gerard Roney, a young man working on his family farm, noticed the problems, costs and time associated with using traditional feeders, he set about creating and trialing feeders smart enough to accurately regulate the flow of grain and pellets. His goal was to maximise the nutritional benefit to the animals, as well as saving farmers time and money with a feeder they could trust to deliver the right level of feed – a feeder they didn't constantly have to refill when stock gorged. Over time, Roney developed the revolutionary 3-way restriction mechanism that restricts stock to the most advantageous levels of grain, limiting their feeding based on their supply of saliva. From the creation of those first feeder prototypes, Advantage Feeders has become a trusted supplier to farmers right across Australia, as well as in the UK, New Zealand, the USA, Canada, Ireland and many other countries. But while the success of Advantage Feeders has taken the company internationally, Advantage Feeders are constantly busy creating more innovations to help Australian farmers.





Service Division


To compliment & strengthen the Equipment Sales
a SERVICE DIVISION has been established.

The Service Workshop at
25 Moorundie Street TRURO now carries out :

The Service Division assembles new Animal Feeders
that arrive flat packed from Ballarat.

If in the event of Damage or breakdown
of a Feeder TRURO AGNCIES, can repair
& or source spares to get you operational again.





TRURO

AGENCIES

25 Moorundie Street,
TRURO SA.

Ph. 08 8564 0214

www.truroagencies.com.au



Our Vision

Help livestock farmers double meat production with the same level of inputs.

Our Mission

Through continual research and development, we strive to provide livestock farmers with the world's best controlled feeding products, knowledge and systems that allow them to achieve the highest return on investment

Stock Feeders





Stock Feeders

GETTING TO KNOW YOUR FEEDER

A. GAUGE SYSTEM

B. STRONG HANDLE

C. LOCKING NUT

A. Our notch and dot system provides consistent settings when set by multiple users

B. The leverage of the 5mm thick handle allows the Upper Adjuster to be moved in small, accurate increments

C. The nyloc nut locking system makes it much faster to reposition the Upper Adjuster

- Adjustments are made from the end of the feeder, alleviating the need to kneel down (potentially in mud)
- Feeders require less cleaning because clumps of built-up feed can be removed by fully opening the upper adjuster

1. UNIQUE ID CODE

2. SIGHT GLASSES

3. STRONG ROOF PIVOTS

4. ADJUSTER GUARD HOUSING

5. UPPER ADJUSTER HANDLES

6. SIDE WALL GUTTERS

7. HEIGHT PINS

8. STAINLESS STEEL FEED AREA

9. ADJUSTABLE TINE GUIDES

10. DROP LOCK PIN ROOF LATCH

11. STRONG BRACING

12. CLEANING TOOL

13. SPRING LATCH

14. DEEP TROUGHS

15. ADJUSTER GUARDS

16. SIX ADJUSTER BRACES

17. HOT GAL DIPPED SKIDS

3800HD
ADVANTAGE FEEDERS





GRAIN FEEDERS 3800HD



Weight:	430kg
Dimensions at sheep height :	2440 x 1650 x 1950 (LxWxH)
Dimensions at cattle height:	2440 x 1650 x 2150 (LxWxH)
Dimensions at extended cattle height:	2440 x 1650 x 2350 (LxWxH)
Flat-pack dimensions:	2440 x 1160 x 310 (LxWxH)
Feed Volume:	3800 litres
Feed weight – wheat/lupins:	3000kg
Feed weight – barley/pellets:	2400kg
Feed weight – oats:	2000kg



GRAIN FEEDERS

M3800HD



Weight:	630kg
Dimensions at sheep height :	3660x1650x1950
Dimensions at cattle height:	3660x1650x2150
Flat-pack dimensions:	2440x1160x450
Feed Volume:	3800 litres
Feed weight – wheat/lupins:	3000kg
Feed weight – barley/pellets:	2400kg
Feed weight – oats:	2000kg
Axle rating:	3000kg
Spring Rating:	3000kg
Tyre rating:	3400kg
Tyre size:	195/55R13C
Coupling rating:	3500kg



GRAIN FEEDERS

1800HD



Weight:

350kg

Dimensions at sheep height :

2440 x 1650 x 1250

Dimensions at cattle height:

2440 x 1650 x 1450

Dimensions at extended cattle height:

2440 x 1650 x 1650

Flat-pack dimensions:

2440 x 1160 x 280

Feed Volume:

1800 litres

Feed weight – wheat/lupins:

1400kg

Feed weight – barley/pellets:

1150kg

Feed weight – oats:

900kg





GRAIN FEEDERS

800HD



Weight:

190kg

Dimensions at sheep height :

1200 x 1650 x 1250

Dimensions at cattle height:

1200 x 1650 x 1450

**Dimensions at extended
cattle height:**

1200 x 1650 x 1650

Flat-pack dimensions:

2440 x 1160 x 210

Feed Volume:

800 litres

Feed weight – wheat/lupins:

600kg

Feed weight – barley/pellets:

500kg

Feed weight – oats:

400kg



**ADVANTAGE
FEEDERS**



TRURO

AGENCIES

25 Moorundie Street,
TRURO SA.

Ph. 08 8564 0214

www.truroagencies.com.au

GRAIN FEEDERS

150HD



Weight:	33kg
Dimensions:	820 x 388 x 790 (LxWxH)
Feed Volume:	150 litres
Feed weight – wheat/lupins:	110kg
Feed weight – barley/pellets :	90kg
Feed weight – oats:	70kg

Stock Feeders





TRAY HAY FEEDER



Weight:	180kg
Assembled dimensions – highest:	2000x1400x1700 (LxWxH)
Assembled dimensions – lowest:	2000x1400x1200 (LxWxH)
Assembled dimensions:	(LxWxH)
Flat-pack dimensions:	2000x1160x200 (LxWxH)
Gap Between Bars:	300mm
Bale capacity:	1x 4'x6' round bale

Notes:

The gaps between the bars are not suitable for bulls. An additional bar kit is available to reduce the bar width for bulls.

CRADLE HAY FEEDER



Weight:	80kg
Assembled dimensions	1900x1380x915 (LxWxH)
Flat-pack dimensions:	1900x915x140 (LxWxH)
Gap Between Bars:	200mm
Bale capacity:	1x 4'x6' round bale

Notes:

The gaps between the bars are not suitable for cattle aged between 6 and 18 months.



- Collapsible design – protects hay better
- Hot gal dipped SHS
- Fits both the CHF and THF models
- Z275 galvanised sheetmetal
- 5 year warranty*



Hay Feeder Roof





- Sliding Gates contain the hay
- Hot gal dipped SHS
- Easy loading: removable gates and sides
- Adjustable bar widths
- 5 year warranty*



Sliding Gate Hay Feeder



- Spring buttons for easy adjustment
- Latch locking system on spring buttons
- Rigid flange on outer edge
- Z275 Galvanised Sheetmetal
- 5 year warranty*



All feeders can accommodate two creep panels.
Creep panels are sold in pairs.
The 800 comes standard with creep panels.





Round Bale Feeder

Reduce Waste

Galvanised

25nb (1") Pipe Construction

