




Sheep Handling Equipment

Racewell Prattley Commander AgQuip Arrowquip Harvestaire



T RURO AGENCIES

Sheep Handling

Racewell Sheep Handlers Datamars Identification Overview Walk on Weighing **Prattley Handlers Arrow V Express Handler Arrow Sheep Catcher Harvestaire Lamp Cradles Arrow Lamp Cradles Arrow Single Cradle** Prattley Drafters 3 & 5 Way **Prattley Electric Drafter Prattley Pregnancy Scan Crate Prattley Conveyor Te Pari Auto Drafter Arrow Drafting Race Prattley Handling Race Prattley Portable Sheep Yards Loading Ramps Arrow Yard Panels Prattley Anti Backing Gates Yard Systems Arrow Portable Yards Te Pari Sheep Jetter**



RACEWELL SHEEP HANDLERS

- •Rugged construction and a well proven design
- •Up to 6 way Manual or Auto weighing and drafting
- •Unobstructed overhead access ideal for reading/applying ear tags
- •Four Function Remote control controls clamp/release and drafting gates gate activated by the sensors
- •Side Tilt option controlled by foot pedal for easy access to all sides of the animal
- •Automatic closing of the entry gate activated by the sensors
- •Easily adjustable optical sensors to allow for different catch positions. ie; set forward for capsule drenching in the middle for weighing or the rear for dagging
- •Variable clamp pressure ensures animal comfort
- •Rubber floor for improved footing of animals

RACEWELL

Integrated EID reader for optimum tag reading





cewell HD6






RACEWELL HD4 SHEEP HANDLER SIDE TILT CRUTCHING FLAP



The Side Tilt option allows the sheep to be tipped 90 degrees for crutching. The controls are proportional, as in some situations you may only need to tilt it slightly and just take the weight off the feet to stop kicking. The tilt option is supplied with a foot pedal for ease of use. When the sheep is returned to the upright position, the clamp can be set to auto release providing hands-free operation.







To see our weighing and EID products in action, visit: youtube.com/TruTest Livestock





TRURO AGENCIES DATAMARS LIVESTOCK

Automated Animal Weighing & Drafting


KEY BENEFITS


- Time efficiency: Huge time savings on mustering and yard work.
- Fast adoption :The weighing platform is disguised with soil to create a natural walking surface.
- Reduced labour costs: Automatic drafting means you deal with a targeted group, not the whole herd.
- Maximised production: Get a complete performance history of individual animals.
- Informed decisions: Take the guesswork out of sales decisions with current, accurate data.

• Improved animal welfare: Fewer trips to yards reduces stress and wear on animals.

Remote walk over weighing systems are available in multiple configurations to suit your farming operations.











Remote WOW Drafter -Prime











Sheep Handler - Standard



TRURO

AGENCIES


Alloy light weight and long lasting. Height is adjustable to suit your best working position.

FEATURES:

- •Fully adjustable to suit any size ewe, lamb or ram
- •Sheep lie without struggling in a safe, secure position
- •Adjustable work height = no bending for the operator
- •Lightweight, easy to shift
- •Full access around rear of animal and feet for inspection
- •Ideal to use in conjunction with Prattley yards or handling race.










Sheep Handler V Express **DDD** ARROWQUIP

A sheep handler should be designed with low stress handling principles in mind, to ensure that producers can manage their sheep quickly and effectively through their processing system. Whether you are drenching, marking, crutching, or any other management task, you need reliable equipment that will perform time and again and can keep up to the requirements of your operation.







Sheep Catcher



TRURO

AGENCIES


•SECURELY CATCHES AND HOLDS THE ANIMAL

•The simple manual operation catches the sheep or goat around the middle, allowing you to tip the animal and immobilise them at a safe working height.

•HIGH VISIBILITY ENTRANCE AND EXIT GATES

•Encourage animals to move into the catcher easily.






T RURO AGENCIES


Lamb Cradle

- Automatic release of lambs
- Easy loading
- Wide bucket option for large lambs
- Maxi bucket Option
- Detachable arms for easy transport
- Labour saving
- Less damage to joints
- Lambs held calmly









Lamb Marking Cradle **DDD** ARROWQUIP

TRURO

AGENCIES


INDIVIDUAL LEG CLAMPS

•Clamps secure around the lambs legs individually, ensuring lambs are kept securely in place when in the cradle.

•AUTO-RELEASE

•Simply tip the cradle up to release the lamb, and the leg clamps will automatically release, allowing you to keep your operation moving efficiently







AGENCIES

Single Lamb Marking Cradle


INDIVIDUAL LEG CLAMPS

•Clamps secure around the lambs legs individually, ensuring lambs are kept securely in place when in the cradle.

•AUTO-RELEASE

•Simply tip the cradle up to release the lamb, and the leg clamps will automatically release, allowing you to keep your operation moving efficiently







AGENCIES


3-Way Swing Gate AutoDraft

The Prattley Swing Gate AutoDraft is a powerful tool allowing a single operator to control weighing and drafting. The Prattley Swing Gate AutoDrafter coordinates with an external Indicator/recorder and loadbars to produce a seamless package.

The rear gates have vertical rollers which allow the gates to roll around sheep as they close and allow the following sheep to pull back without getting caught.

Designed to eliminate the need to have left or right hand operation. Stationary or mobile available








AGENCIES

5-Way Swing Gate AutoDraft

The Prattley Swing Gate AutoDraft is a powerful tool allowing a single operator to control weighing and drafting. The Prattley Swing Gate AutoDraft coordinates with an external Indicator/recorder and loadbars to produce a seamless package.

The rear gates have vertical rollers which allow the gates to roll around sheep as they close and allow the following sheep to pull back without getting caught.

Designed to eliminate the need to have left or right hand operation. Stationary or mobile available






AGENCIES


2-Way Electric Autodrafter

The Prattley Electric AutoDrafter is operated by electric motors powered by a 12volt battery, and will operate on a fully charged battery for a full day.

The design eliminates the need to have left or right handed crates. The rear gates have vertical rollers which allow the gates to roll around the sheep as they close or allow the following sheep to pull back without getting caught.









AGENCIES

3-Way Manual Weigh Crate

The Prattley 3-Way Manual Weigh Crate (Universal) is manufactured with lightweight aluminum for optimum strength. Prattley is the world leader in light weight animal handling equipment, using cutting edge technology. Prattley's aim is too produce quality sheep handling equipment that helps you to attain maximum efficiency. Despite its light weight, Prattley sheep equipment is sturdy and long lasting.





Prattley

TRURO

AGENCIES


Pregnancy Scan Crate

Using ultrasound scanning technology to test for pregnancy in livestock not only tells you whether or not animals are pregnant, but also whether pregnant animals are carrying multiple foetuses (and if so, how many). Armed with this information you can make informed decisions about feed resources and stock management

FEATURES

- •Strong, easy clean uniboard panelling
- •Galvanised mesh flooring
- •Adjustable height and width
- •Comes with entry and exit ramps
- Hot galvanised dipped





T RURO AGENCIES



Sheep Conveyor 4.2m - Mobile


FEATURES:

•Designed for large operations, contractors and stations to maximise

throughput times and reduce labour costs

- •Variable speed and adjustable width
- •Lowers flat on ground for easy stock flow
- •Fully detachable drawbar, winch and wheelarms
- •Remote controlled 3-way drafting exit ramp avaiable











The Racewell Auto Drafter is used solely for weighing and drafting allowing you sort your lambs into weight lines to optimise growth and slaughter schedules.

The new Racewell DR3 Sheep Drafter is a dedicated weighing and drafting machine based on well-proven and respected Racewell technology. It has been designed for farmers who want a simple weighing and drafting machine without the full handling capability of the topof-the-line Racewell HD3 Sheep Handler, but still utilising its 'Magic Eye' and radio remote control technology that provides flexible setup and ease of use.







AUTO DRAFTER


RACEWELL TRAILER SYSTEM


3 BENEFITS OF USING THE TE PARI RACEWELL DR3/DR5 AUTO DRAFTER:

1. Intelligent Auto Sensing Entry Gate: The entry gate is triggered by twin optical sensors. If a second animal tries to enter the crate and gets caught in the closing gate the intelligent auto sensing entry gate system will reopen and then close the gate again – by itself – after a few seconds, releasing the animal. In addition the entry gate is not part of the weighing zone. This means that if an animal waiting in the race puts load on the entry gate the weight recording will not be affected.

2. Integrated ePanel EID Antenna: The innovative Te Pari ePanel Integrated EID antenna is integrated into the side of the sheep drafter. The ePanel reader addresses the requirement for a compact, unobtrusive antenna that ensures the EID ear tag is accurately read no matter where the sheep is holding its head. As the antenna is very close to the sheep false reads of the EID tag is very rare.

3. Effective Drafting: The Te Pari Racewell DR3 Sheep drafter with a Te Pari scale indicator can draft sheep 9 ways out 3 drafting gates. This allows you to split your draft lines into more accurate groups and headbails.





Drafting Race




TRURO

AGENCIES

The cradle-shaped sides on the V-Side Sheep Drafting Race restricts sideways movement to keep your sheep moving forward in a single-file line through the draft. The interior space at the top of the V-Side Draft is 547mm, and the space at the bottom of the draft is 182mm to ensure sheep will never turn back. When combined with the 1200mm long gates on the draft, the V-Side Sheep Drafting Race allows you to sort your sheep quickly and easily in three directions with only one handler.







Single Lane Handling Race

For Drenching, Mouthing, Dagging, Ear Tagging, Selecting, Foot Treatment, etc. – All Handling Operations.

SPECIFICATIONS:

- •Lightweight, combining the strength of aluminium and **durable Uniboard**
- •One Person can assemble race and drench sheep quickly and easily
- •Versatile combinations of single or double lane races, two, three sections long
- •Large or small mobs handled with equal ease
- •Easy to assemble and transport, fits inside the Prattley Yard
- •Width 33" (0.85m) reducible by pivoting one side
- •Side release gates available to draft sheep out
- •Available in 33", 36" and 39" high panels





25 Moorundie Street, TRURO SA. Ph. 08 8564 0214 www.truroagencies.com.au





Portable Sheep Yards

<u>Prattley</u>











T RURO AGENCIES

Sheep Loading Ramp



Your loading ramp should provide sheep with the appropriate space, flooring, and incline to allow them to make the transition from yard to trailer easily. Arrowquip's line of Sheep Loading Ramps provide the durability and security for your livestock to make this transition with as little stress as possible, every time.





T RURO AGENCIES Prattley

Sheep Loading Ramp Single Lane

- •Excellent for trailers, small farms and general use
- •Lightweight
- •Available in 2.3, 3.0 and 3.6m
- •Single lane, tapered 510mm wide at top
- •Also available in double width (745mm wide)

2.3M (8FT) RAMP 3.0M (10FT) RAMP 3.6M (12FT) RAMP





Mobile Sheep Loading Ramp

FEATURES:


- •Hot dip galvanized frame
- •Timber floor and walkway
- •Durable ply sides
- •Retractable drawbar
- •Single lane ramps also available

5.8M MOBILE SHEEP RAMP:

•745mm outside
•13" wheels **6.8M MOBILE SHEEP RAMP:**•745mm outside
•13" wheels










Sheep Yard Panels

ARROWQUIP

PANEL SIZES

Stud Manager premium sheep yard panels are available in four standard sizes – 1M, 2M, 3M, & 4M. Overseer style panels are available in 2.3M and 3.3M panels. Select panels come in both sheeted and rail only versions.











Anti – Backing Gate









T RURO AGENCIES

Yard Systems

We can design, source & erect, using the best design suiting your needs. We will take the difficulties away & keep the suppliers on track.





Single Bugle



Jackaroo Econo Range 🛛 🔀 ARROWQUIP

Jackaroo is our economy 6 bar range of portable sheep yard panels, using 25 x 25 high tensile first grade steel. Ideal for lambing ewes, lamb marking, remote areas, loading and unloading and more. Quick to assemble and pack up, easy to transport.






ARROWQUIP

Custom Drover Mobile Yard Systems

Drover is a custom, premium 6 bar portable yard range using 30 x 30 high tensile first grade steel. Drover sets include standard panels plus 2 sheeted panels, 2 race gates, 2 spreader bars, 2 long joining pins, ratchet and draft trailer.






TRURO AGENCIES

SHEEP JETTER



Using 20 jets that are strategically positioned to target the affected areas. The Te Pari Sheep Jetter is a proven design based on simplicity and reliability that can process up to 1000 sheep/hour.

Sheep Jetter The Te Pari is manufactured predominantly from stainless steel, reducing the unit's weight to 56kg. The strong, compact frame has few moving parts which less means maintenance. The unit comes complete with all necessary pipework including cam-lock fittings, and intake filter.





Contact us

25 Moorundie Street, TRURO. SA. 5353

- Phone:
- Fax:
- Email:

08 8564 0214 08 8564 0018 sales@truroagencies.com.au